Information Visualization PERCEPTION and COLOR



Petra Isenberg tobias.isenberg@inria.fr

Let's do an experiment ...



What is Color?

= the set of **perceptions** elicited by the spectral distribution of light

Color Vision

- What we call color is generated by the visual brain
- There is no one to one relationship between the colors seen and wavelengths

Functions of Color Perception

Color helps us to:


- Identify things
- Classify things

Through


- Grouping
- Background segregation



How do we describe color?



Physical World --- Visual System




Retina is stimulated by three factors:

- illumination (light source)
- reflectance (from object)
- transmittance (atmosphere)

Simple Anatomy of the Retina, Helga Kolb

Physical World --- Visual System



You **do not** see individual photons or light waves

- Eyes make limited measurements
- Eyes physically adapt to circumstance
- You brain adapts in various ways
- Weird stuff happens

Example: Lightness vs. Luminance

• LUMINANCE: an objective measurement of light intensity per unit area (e.g. cd/m2; physical)




 LIGHTNESS: a subjective impression of the intensity of light reflected from on object surface (no units; psychophysical)

Lightness experiment

The two circles are physically the same

Lightness experiment



The two circles are still physically the same, but the lightness you perceive is not

White's illusion: the opposite effect



A is surrounded by more black but seems darker than B, which is surrounded by more white

The Cornsweet Edge

As a result of two gradients, but why does this happen?






Image source: The Journal of Neuroscience, October 1, 1999, 19(19):8542–8551 <u>An Empirical Explanation of the Cornsweet Effect.</u>

Mach bands

Even harder to explain:





WHAT IS GOING ON?

The Inverse Problem

- What the retina receives as input (stimulus) is a combination of photons/light waves
 - From illumination sources
 - From reflectance of objects
 - From transmittance through objects
- How do we know who contributed what?

 \rightarrow We have learned what the relationships are between the physical world and our perceived information are, to solve this problem

WHAT IS COLOR?

Some definitions

Physical measurement:


the relative intensities of wavelengths in light measured with a spectrophotometer

Psychophysical measurement:

report of the color seen by a normal subject, typically made by comparison


Physical World – The Nature of Light

We have evolved to see a range of wavelengths: ${\sim}400$ - 700nm




Light of a single wavelength is monochromatic


What do you notice?



http://www.science4all.org/article/colors/



Monochromatic colors




Can be obtained with one or more rays of light with a single wavelength


http://www.science4all.org/article/colors/

BUT...

Light rays are typically composed of multiple wavelengths




How do we describe a beam of light?




spectral power distribution (SPD)

http://www.science4all.org/article/colors/

Non-monochromatic color spectra



How do we know which color this would be?



Physically speaking

If you want to see different wavelengths at different energies across the spectrum

 \rightarrow you need to have multiple photo receptors that can be compared


Trichromatic Theory

- Also called: Young-Helmholtz theory of color vision
- One of the earliest theories on how we perceive color
- Early 1800s, Young suggested that the eye contained different photoreceptor cells that were sensitive to different wavelengths of light in the visible spectrum.
- Mid-1800s: Hermann von Helmholtz suggested that the cone receptors were:
 - short-wavelength (blue),
 - medium-wavelength (green),
 - or long-wavelength (<u>red</u>).

...and the strength of the signals detected determined how the brain interpreted color in the environment.








https://en.wikipedia.org/wiki/Young%E2%80%93Helmholtz_theory#/media/File:YoungHelm.jpg

It took about another 100 years before

CONFIRMATION IN THE BODY

Physical World -> Visual System



Rods No color (sort of) All over the retina More sensitive


Cones

Three different kinds of "color receptors" Mostly in the center Less Sensitive


Simple Anatomy of the Retina, Helga Kolb

Cone response


- LMS (Long, Middle, Short)
 cones
- Capture different wavelengths (some better than others)
- Transmit a signal to the brain




A Field Guide to Digital Color, Maureen Stone




A Field Guide to Digital Color, Maureen Stone





Capture of L / Intensity / Captured intensity by L




Cumulated intensities detected



SML decomposition


Visual System → Color Models



This is the color the eye sees This is not necessarily the color the brain sees!

HOW IS THE CAPTURED COLOR INFORMATION PROCESSED?


Color Opponency Theory



Ewald Hering 1878

Proposal:

Color experience is built from 4 primary chromatic colors Arranged in opponent pairs



Color Opponency


The experiment was taken as evidence for color opponency

- Now we know do with cells whose center of the receptive field is sensitive to green and the surround to red = color opponent cells (also exists for blue and yellow)
- (too much detail for our purposes)

HOW TO DESCRIBE COLOR PERCEPTION


Color Terms

- Hue: Color we see (red, green, blue, ...)
- Saturation: degree to which hue differs from neutral gray
- Lightness/Brightness: the intensity of a colored surface or source



https://designingfortheweb.co.uk/image s/compare.png

Color Spaces




XYZ Color Model

- created by the International Commission on Illumination (CIE) in 1931
- Derived from color perception experiments
 - Relates physical wavelengths to physiologically perceived colors in human color vision.
- Seldom used directly but acts as a basis for color descriptions and transformations

XYZ Color Model


definition of three primary colors: X, Y, Z

- color-matching functions (the numerical description of the chromatic response of the *observer*)
 - here non-negative
- Y follows the standard human response to luminance, i.e., the
 Y value represents perceived brightness
- can represent all perceivable colors




XYZ CIE Color Space


- plotting XYZ space in 3D
- all colors that are perceivable by humans form a deformed cone
- *X*, *Y*, and *Z*-axes are outside this cone



CIE Chromaticity Diagram


- projection of XYZ space onto X+Y+Z = 1 (to factor out a color's brightness):
 x = X/(X+Y+Z) y = Y/(X+Y+Z)
- monochromatic colors on curved boundary






RGB and XYZ

• RGB to XYZ conversion




- RGB space: distorted cube
- black: origin of XYZ and projection center
- RGB projected to triangle




Can RGB Represent All Visible Colors?

 no, because all colors form horseshoe shape in CIE chromaticity diagram and RGB gamut is triangular



- But my shiny new 30" UHD OLED is state-of-the-art, it can surely show all colors!"
- \rightarrow Let's see a color that it cannot show ...

Let's see REAL cyan ...




THE STRANGE WAYS WE EXPERIENCE COLOR...






What **c'oloe**'s this?



What **'Codor ?'s** this? "Turquoise ?" "Blue-Green ?" "Sarcelle ?"

Color according to gender?

Color names if you're a girl...



Color names if you're a guy...

> Doghouse Diaries "We take no as an answer."

Color according to XKCD



A crowdsourced color-labeling game ~5 million colors ~222,500 user sessions


http://blog.xkcd.com/2010/05/03/color-survey-results/

Color according to XKCD




Color Naming

We associate and group colors together, often using the name we assign to the colors



Are there natural boundaries?




Basic Color Terms

- Brent Berlin & Paul Kay 1969
- let's look at two specific places




World Color Survey

Surveyed 2616 speakers of 110 languages using 330 different color chips




Results from WCS (Mexico)




Language #72 (Mixteco) Mutual info = 0.942 / Contribution = 0.476

Language #98 (Tlapaneco) Mutual info = 0.942 / Contribution = 0.524




Results from WCS (South Pacific)



Language #19 (Camsa) Mutual info = 0.939 / Contribution = 0.487

Language #24 (Chavacano) Mutual info = 0.939 / Contribution = 0.513



But language-color interaction


- Himba tribe in Namibia only few color words:
 - **zoozu**: most dark colors (red, blue, green, violet)
 - vapa: white, also some yellow
 - borou: some green and blue colors
 - dumbu: many
 green but also
 red colors



© Hans Hillewaert

But language-color interaction

• experiment: how long to find a differing color?



difficult to impossible for Himba people

But language-color interaction


• experiment: how long to find a differing color?



easy for Himba people: different words for both types of green

Universal (?) Basic Color Terms


Basic color terms recur across languages




Interesting factoid: Cartographers found out that they need 4 unique hues to unambiguously distinguish all areas on an arbitrarily complex map

Evolution of Basic Color Terms

Proposed universal evolution of color names across languages.



Some other color usage problems



This one is called COLOR CONTRAST: the same spectral input can appear as a different color

Color Constancy

- Background color and lighting have a big effect on how we see color
- Two differ cal

@nationalgeographic.com

CONCLUSION

- Color vision (just like brightness) does not correspond to physical measurements
- Be mindful in how you apply color in your computergenerated scenes!

COLOR FOR VISUALIZATION

Why are color choices important?

Example: The Rainbow Color Scale


- Represent data by varying hue across (approximately) the full range of visible wavelengths
- One of the most common color scales in use today



And it's (usually) a huge mistake!


General Bathymetric Chart of the Ocean

Every color mark signals: longitude, latitude, sea/land, depth/altitude




General Bathymetric Chart of the Ocean

Now describe what kind of color scale was possibly used here




Perceptual Ordering



Rainbow Color Scale

- Is ordered by wavelength
- Is **not** perceptually ordered




Gray Scale

- Increases luminance (value) from dark to light
- Is perceptually ordered

Color Scale Luminance

Rainbow Color Scale

- The visual system perceives high spatial frequencies through changes in luminance
- Is isoluminant (for large portions), changes only appear at color boundaries
- Obscures small details in the data




From: Rainbow Color Map (Still) Considered Harmful, CG&A 07

Color Scale Transitions

Rainbow color scale

- appears separated into bands of almost constant hue
- sharp transitions between hues are perceived as sharp transitions in the data



heated color scale

isoluminant green-red scale

From: Rainbow Color Map (Still) Considered Harmful, CG&A 07

HOW TO PICK COLORS

A Few General Rules

- Always have high luminance contrast between foreground and background
- Use only a few distinct colors



> 12 colors will likely not work~5 colors recommended

From Ware, Information Visualization

Using Color to Label (For groups, categories, highlights, etc.)


Colors should be distinctive and named

"Blue"

"Blue-er?"

"Other Blue???"

Use cultural conventions & appreciate symbolism



Lin et al. (2013) Selecting Semantically-Resonant Colors for Data Visualization

Beware of bad interactions


CONTRAST

You can make this work if you consider value


CONTRAST

Using Color for Scales (For ordinal or quantitative data)

Use a scale that varies **lightness** in addition to color Shades of **gray** or shades of **a single color** are easiest



For **diverging scales**, use a lighter, desaturated value for the critical mid-point and darker hues for the ends




ColorBrewer

number of data classes on your map
3 ▼ learn more >
the nature of your data
sequential v learn more >
pick a color scheme: BuGn
multihue
(optional) only show schemes that are:
colorblind safe print friendly
photocopy-able <i>learn more</i> >

Highly recommended!

Designed originally for maps but will also work well for other types of visualizations


http://colorbrewer2.org/



http://colorbrewer2.org/


ColorBrewer

127, 201, 127
190, 174, 212
253, 192, 134
255, 255, 153
56, 108, 176
(RGB)



(Hex)

Every ColorBrewer Scale



For CSS and JavaScript (by Mike Bostock) <u>http://bl.ocks.org/mbostock/5577023</u>

7% of the viewers may not see anything if you use red-green,


ONE WARNING ABOUT RED-GREEN

The following slides on the topic are adapted from Tobias Isenberg's

Color Vision Deficiency



vormal color vision




simulation of color contrast for deuteranopic color vision (green receptors absent)


approx. 7% of male population color-deficient


mostly red-green color deficiency (deuteranopia or protanopia) – but other forms exist as well

Color Deficiency Test (Ishihara Test)




Color Deficiency Test






Examples from VIS/InfoVis 2004



Better: Red-Blue Contrast




Check Your Visualizations!

When possible, avoid red-green color contrasts for visualization purposes.

View Window Help	A 13	🖉 🖣 🚨 🗿 🗕 🛛 📥 🚺 🖉 🐐 🤶 🔶
Proof Setup Proof Colors	< ∀ ₩	Custom
Gamut Warning 企業Y Pixel Aspect Ratio Pixel Aspect Ratio Correction 32-bit Preview Options		✓ Working CMYK Working Cyan Plate Working Magenta Plate Working Yellow Plate
Zoom In Zoom Out	ж+ ж–	Working Black Plate Working CMY Plates
Fit on Screen 100% 200%	₩0 ₩1	Legacy Macintosh RGB (Gamma 1.8) Internet Standard RGB (sRGB) Monitor RGB
Screen Mode	►	Color Blindness – Protanopia-type
Extras	ЖΗ	Color Blindness – Deuteranopia-type

To test your visualizations, use proofing modes in PhotoShop and GIMP, or try VisCheck http://www.vischeck.com/

Color Resources



Maureen Stone's Resources A Field Guide to Digital Color http://www.stonesc.com

Cindy Brewer's *ColorBrewer* http://colorbrewer2.org For CSS and JavaScript http://bl.ocks.org/mbostock/5577023

Community Palette Sharing http://www.colourlovers.com http://kuler.adobe.com

(Fun) Color Resources!

Wired "The Crayola-fication of the World"

by Aatish Bhatia

http://www.wired.com/wiredscience/2012/06/the-crayola-fication-of-the-world-how-we-gave-colors-namesand-it-messed-with-our-brains-part-i/




RadioLab "Colors"

WNYC Podcast

http://www.radiolab.org/story/211119-colors/

PERCEPTION OF OTHER VISUAL ENCODINGS

Perception of Visual Encodings



There are **lots** of possible visual encodings

Their **effectiveness** is related to how they are handled by our perceptual system

Elementary Graphical Perception Tasks William S. Cleveland (1980s)





Figure 3. Graphs from position-angle experiment.

Performed **controlled experiments** to determine how effectively people could judge **changes in visual features**

Focus on **quantitative** information


Variables used: angle, area (size), color hue, color saturation, density (value), length, position, slope, volume

Elementary Graphical Perception Tasks William S. Cleveland (1980s)




Color Value

What percentage in value is the right from the left?




100% 66%




Color Value

• What percentage in value is the right from the left?




100% 60%




Area

What percentage in size is the right from the left?




100% 52%




Area

What percentage in size is the right from the left?




100% 36%




Volume

What percentage in size is the right from the left?



100% 40%




Why are people so bad at this?

Relationship between stimulus and perception **isn't always linear!**


Stevens' power law

describes a relationship between a physical stimulus (S) and its **perceived** intensity or strength (P)





People tend to **correctly estimate lengths** They tend to **underestimate areas and volumes.**



When asked to pick a circle **2 times** the size, people tend to pick a circle **~1.8 times** larger.

This tendency **gets worse** as area grows.

Volume is even worse!

http://makingmaps.net/2007/08/28/perceptual-scaling-of-map-symbols/






FIGURE 7.4. An eye-catching map created using three-dimensional geometric symbols. (After Smith, 1928. First published in *The Geographical Review*, 18(3), plate 4. Reprinted with permission of the American Geographical Society.)




[Cartography: Thematic Map Design, Figure 8.6, p. 170, Dent, 96] **S = 0.98A^{0.87}** [from Flannery 71]

Area

 What percentage in size is the red from the blue (=100%)?






no idea - this is very difficult

Length

What percentage in length is the right from the left?

100%




75%

Length / Position

What percentage in length is the right from the left?

100%





25%

Effectiveness of Data Encodings (Conjecture)

Quantitative	Ordinal Nominal	
Position	——— Position	——— Position
Length	, Density	Color Hue
Angle	Color Saturation	n Texture
Slope	Color Hue	Connection
Area	/// Texture	Containment
Volume	Connection	Density
Density	Containment	Color Saturation
Color Saturation	n ///// Length	Shape
Color Hue	Angle	Length
Texture	/// \\ Slope	Angle
Connection	/ Area	Slope
Containment	Volume	Area
Shape	———— Shape	Volume


Mackinlay 1986





Elementary Graphical Perception Tasks

William S. Cleveland (1980s)



PREATTENTIVE PROCESSING

How many 3's do you see?

From: Ware, Information Visualization using Vision to Think

How about now?

From: Ware, Information Visualization using Vision to Think

Preattentive Processing


- Some stimuli can be perceived without the need for focused attention
- Generally within **200-250 ms**
- Seems to be done in parallel by the low-level vision system

Visual encoding has a **big** impact on this!

DETERMINE IF A RED CIRCLE IS PRESENT


Visual encodings influence **preattentive** processing

Hue




Yes, can be done preattentively






Yes, can be done preattentively

Hue and Shape




Cannot be done preattentively due to the **conjunction** of shape and hue → need to search


Preattentive visual features (some)



Preattentive visual features (some)



Preattentive visual features (some)



ASSESS VISUAL REPRESENTATIONS

Applying what we know to


Let's evaluate...

Car / Nation	USA	Japan	Germany	France	Sweden
Accord		Х			
AMC Pacer	Х				
Audi 5000			Х		
BMW 320i			Х		
Champ	Х				
Chevy Nova	Х				
Saab 9000					Х

What kind of data are we looking at?

Nations: **Nominal** Cars: **Nominal** (Nation,Car): **Nominal**


Let's evaluate ...



Problem:

Length of bar suggests an order or quantity (e.g. Swedish cars are better)

Let's evaluate...



Better!

Let's evaluate ...

Banks: Market Cap


- Market Value as of January 20th 2009, \$Bn
- Market Value as of Q2 2007, \$Bn

Market Capitalization =

What would it cost to buy all of a company's stock at the current price.

Compares 15 major banks on two dates:

- January 20th, 2009
- Q2 2007 (before banking crisis hit)




Unicredit

93

BNP

Paribas

108



J.P.Morgan


UBS

116

Problems here?

Banks: Market Cap

- Market Value as of January 20th 2009, \$Bn
- Market Value as of Q2 2007, \$Bn



J.P.Morgan

While JPMorgan considers this information to be reliable, we cannot guarantee its accuracy or completeness

Problems here?


Banks: Market Cap

- Market Value as of January 20th 2009, \$Bn
- Market Value as of Q2 2007, \$Bn



We are not good at comparing areas.

(And the areas here are actually misleading!)



85 / 165 = ~50%

But this is actually the ratio of the radii, not the areas!


A bar chart would be better.


Problem here?




- There is likely a **bug or error** in the data
- Pie slices are difficult to compare by **area** or by **angle**
- Similar colors are difficult to distinguish
- Perspective distortion adds to the problem

Similarly...3D bar charts are not recommended





These are much easier to read & compare!




John Peltier http://peltiertech.com/WordPress/3d-bar-chart-alternatives/


Problem here?


NEWS MAGAZINE STAFF SIZE OVER TIME

Time and Newsweek select years 1983 - 2005




NUMBER OF CORRESPONDENTS IN BUREAUS OVER TIME






NEWS MAGAZINE BUREAUS OVER TIME

Time and Newsweek select years 1983 - 2005



Journalism.org (via Stephen Few)

Length Comparison



At first glance:

- A huge overall decline
- In 2003, Newsweek is 50% of Time


If we add a proper baseline at 0:

- The downward trend is less severe
- 2003: Newsweek is ~80% of Time


Moreover...

NEWS MAGAZINE STAFF SIZE OVER TIME


Time and Newsweek select years 1983 - 2005



Redesign (by Stephen Few)




380 360



NUMBER OF CORRESPONDENTS IN BUREAUS OVER TIME


Time and Newsweek, select years 1983 - 2005

NEWS MAGAZINE STAFF SIZE OVER TIME Time and Newsweek select years 1983 - 2005




NEWS MAGAZINE BUREAUS OVER TIME

Time and Newsweek select years 1983 - 2005




Note: A dashed line connecting two points indicates that there are years between the points for which values were not available. If the values were available, the shape of the lines might vary significantly.

A few more (classic) guidelines!



Good reference: How to Lie with Statistics, by Darrell Huff (1954)


• Provide a proper baseline




A 10% increase. Good!




Already looks more impressive



• Provide a proper baseline & label your axes



- Provide a proper baseline & label your axes
- Avoid eye-candy



Actual data



The same data with eye-candy & no numbers ... but at least it tells the same general story.






Impressive, but a lie!


- Provide a proper baseline & label your axes
- Avoid eye-candy
- Avoid area comparisons whenever possible






Adapted by courtesy of STEELWAYS.

- Provide a proper baseline & label your axes
- Avoid eye-candy
- Avoid area comparisons whenever possible
- Provide legends




- Provide a proper baseline & label your axes
- Avoid eye-candy
- Avoid area comparisons whenever possible
- Provide legends
- Grids help but make them subtle

(about 20% opacity - no black lines)



Many more useful guidelines!







Today you learned

Details about the **perception of color** and a few **other visual variables**


Saw that the vision system is **quicker and better** at detecting certain visual variables

Learned how to critique visualizations

Müller-Lyer Sinusoidal Waves

New variant by Gianni A. Sarcone

Though the **blue** and **red** segments seem to oscillate, they are always the **same length**! **Nothing moves except the arrows** at the endpoints of each color segment...



 $@GSAKCANE giannisarcone.com @) \) =$